

**TABLAS DE CAMERON**

**Tabla de Cameron para diseñar planes de muestreo simple.**

c	Valores de R para:			np	c	Valores de R para:			np
	$\alpha = 0.05$ $\beta = 0.10$	$\alpha = 0.05$ $\beta = 0.05$	$\alpha = 0.05$ $\beta = 0.01$			$\alpha = 0.01$ $\beta = 0.10$	$\alpha = 0.01$ $\beta = 0.05$	$\alpha = 0.01$ $\beta = 0.01$	
0	44.89	58.40	89.78	0.05	0	229.10	298.10	458.20	0.01
1	10.95	13.35	18.68	0.35	1	26.18	31.93	44.68	0.14
2	6.51	7.70	10.28	0.81	2	12.20	14.43	19.27	0.43
3	4.89	5.67	7.35	1.36	3	8.11	9.41	12.20	0.82
4	4.06	4.65	5.89	1.97	4	6.24	7.15	9.07	1.27
5	3.55	4.02	5.01	2.61	5	5.19	5.88	7.34	1.78
6	3.21	3.60	4.43	3.28	6	4.52	5.08	6.25	2.33
7	2.96	3.30	4.01	3.98	7	4.05	4.52	5.50	2.90
8	2.77	3.07	3.70	4.69	8	3.70	4.11	4.96	3.50
9	2.62	2.89	3.46	5.42	9	3.44	3.80	4.54	4.13
10	2.50	2.75	3.26	6.16	10	3.22	3.55	4.22	4.77
11	2.40	2.63	3.10	6.92	11	3.05	3.35	3.95	5.42
12	2.31	2.53	2.96	7.69	12	2.91	3.18	3.74	6.09
13	2.24	2.44	2.85	8.46	13	2.79	3.04	3.55	6.78
14	2.17	2.37	2.75	9.24	14	2.69	2.92	3.40	7.47
15	2.12	2.30	2.66	10.03	15	2.60	2.82	3.26	8.18
16	2.07	2.24	2.58	10.83	16	2.52	2.73	3.15	8.89
17	2.03	2.19	2.52	11.63	17	2.45	2.65	3.04	9.61
18	1.99	2.14	2.45	12.44	18	2.39	2.58	2.95	10.34
19	1.95	2.10	2.40	13.25	19	2.33	2.51	2.87	11.08
20	1.92	2.06	2.35	14.07	20	2.28	2.45	2.79	11.82
21	1.89	2.03	2.30	14.89	21	2.24	2.40	2.73	12.57
22	1.86	2.00	2.26	15.71	22	2.20	2.35	2.67	13.32
23	1.84	1.97	2.22	16.54	23	2.16	2.31	2.61	14.08
24	1.82	1.94	2.19	17.38	24	2.12	2.27	2.56	14.85
25	1.79	1.92	2.15	18.21	25	2.09	2.23	2.51	15.62

**Tabla de Cameron para determinar la probabilidad de aceptación.**

c	Pa = 0.995	Pa = 0.975	Pa = 0.950	Pa = 0.900	Pa = 0.750	Pa = 0.500	Pa = 0.250	Pa = 0.100	Pa = 0.050	Pa = 0.025	Pa = 0.010	Pa = 0.005
0	0.005	0.025	0.051	0.105	0.288	0.693	1.38	2.3	2.99	3.68	4.6	5.29
1	0.103	0.242	0.355	0.532	0.961	1.67	2.7	3.89	4.74	3.57	6.63	7.43
2	0.338	0.619	0.818	1.1	1.72	2.67	3.92	5.32	6.29	7.22	8.4	9.27
3	0.672	1.09	1.36	1.74	2.53	3.67	5.10	6.68	7.75	8.76	10	10.9
4	1.07	1.62	1.97	2.43	3.36	4.67	6.27	7.99	9.15	10.2	11.6	12.5
5	1.53	2.2	2.61	3.15	4.21	5.67	7.42	9.27	10.5	11.6	13.1	14.1
6	2.03	2.81	3.28	3.89	5.08	6.67	8.55	10.5	11.8	13	14.5	15.6
7	2.57	3.45	3.98	4.65	5.95	7.66	9.68	11.7	13.1	14.4	16	17.1
8	3.13	4.11	4.69	5.43	6.83	8.67	10.8	12.9	14.4	15.7	17.4	18.5
9	3.71	4.79	5.42	6.22	7.72	9.66	11.9	14.2	15.7	17	18.7	19.9
10	4.32	5.49	6.16	7.02	8.62	10.67	13	15.4	16.9	18.3	20.1	21.3
11	4.94	6.2	6.92	7.82	9.51	11.67	14.1	16.5	18.2	19.6	21.4	22.7
12	5.58	6.92	7.69	8.64	10.42	12.67	15.2	17.7	19.4	20.9	22.8	24.1
13	6.23	7.65	8.46	9.47	11.32	13.67	16.3	18.9	20.6	22.2	24.1	25.4
14	6.89	8.39	9.24	10.3	12.23	14.67	17.4	20.1	21.8	23.4	25.4	26.8
15	7.56	9.14	10.03	11.13	13.15	15.67	18.4	21.2	23	24.7	26.7	28.2
16	8.24	9.9	10.83	11.97	14.06	16.67	19.5	22.4	24.3	25.9	28	29.5
17	8.94	10.66	11.63	12.82	14.98	17.67	20.6	23.6	25.5	27.2	29.3	30.8
18	9.64	11.43	12.44	13.67	15.9	18.67	21.7	24.7	26.6	28.4	30.5	32.1
19	10.35	12.21	13.25	14.52	16.83	19.67	22.8	25.9	27.8	29.6	31.8	33.4
20	11.06	12.99	14.07	15.38	17.75	20.67	23.8	27	29	30.8	33.1	34.7
21	11.79	13.78	14.89	16.24	18.68	21.67	24.9	28.1	30.2	32.1	34.3	35.9
22	12.52	14.58	15.71	17.1	19.61	22.67	26	29.3	31.4	32.3	35.6	37.2
23	13.25	15.37	16.54	17.97	20.54	23.67	27	30.4	32.5	34.5	36.8	38.5
24	13.99	16.17	17.38	18.84	21.47	24.67	28.1	31.5	33.7	35.7	38	39.7
25	14.74	16.98	18.21	19.71	22.4	25.67	29.2	32.7	34.9	36.9	39.3	41